

M3PM16/M4PM16 SOLUTIONS 1. 26.1.2012

Q1 ([L], 12-13).

$$li(x) := \int_2^x \frac{du}{\log u} = \left[\frac{u}{\log u} \right]_2^x - 2 \int_2^x d\left(\frac{1}{\log u} \right) = \frac{x}{\log x} - \frac{2}{\log 2} + \int_2^x \frac{du}{\log^2 u}.$$

For $x \geq 4$,

$$\begin{aligned} 0 &< \int_2^x \frac{du}{\log^2 u} = \int_2^{\sqrt{x}} + \int_{\sqrt{x}}^x < \int_2^{\sqrt{x}} \frac{2}{\log^2 2} + \int_{\sqrt{x}}^x \frac{du}{\log^2 x} \\ &= \frac{\sqrt{x} - 2}{\log^2 2} + \frac{x - \sqrt{x}}{\frac{1}{4} \log^2 x} < \frac{\sqrt{x}}{\log^2 2} + \frac{4x}{\log^2 x} = o\left(\frac{x}{\log x}\right). \end{aligned}$$

The LH inequality gives

$$\liminf li(x)/\frac{x}{\log x} \geq 1.$$

The RH inequality gives

$$\limsup li(x)/\frac{x}{\log x} \leq 1.$$

Combining,

$$li(x)/\frac{x}{\log x} \rightarrow 1 : \quad li(x) \sim \frac{x}{\log x}.$$

Q2 ([L], 13-14). Integrating by parts $m+1$ times,

$$li(x) = \frac{x}{\log x} + \frac{1!x}{\log^2 x} + \dots + \frac{m!x}{\log^{m+1} x} + const + (m+1)! \int_2^x \frac{du}{\log^{m+2} u}.$$

For $x \geq 4$, as before,

$$\begin{aligned} 0 &< \int_2^x \frac{du}{\log^{m+2} u} = \int_2^{\sqrt{x}} + \int_{\sqrt{x}}^x < \int_2^{\sqrt{x}} \frac{du}{\log^{m+2} 2} + \int_{\sqrt{x}}^x \frac{du}{\log^{m+2} (\sqrt{x})} \\ &< \frac{\sqrt{x} - 2}{\log^{m+2} 2} + \frac{x - \sqrt{x}}{2^{-m-2} \log^{m+2} x} = o\left(\frac{x}{\log^{m+1} x}\right). \end{aligned}$$

So

$$li(x) - \left(\frac{x}{\log x} + \frac{1!x}{\log^2 x} + \dots + \frac{(m-1)!x}{\log^m x} \right) = \frac{m!x}{\log^{m+1} x} (1 + o(1)),$$

giving the result. //

Q3 ([L], 214-5). Taking $x = p_n$ in $\pi(x) := \sum_{p \leq x} 1$ gives

$$\pi(p_n) = \sum_{p \leq p_n} 1 = n.$$

By PNT, $\pi(x) \sim x / \log x$, so $n \sim p_n / \log p_n$:

$$\frac{n \log p_n}{p_n} \rightarrow 1. \quad (i)$$

Taking logs of (i), $\log n + \log \log p_n - \log p_n \rightarrow 0$. Dividing this by $\log p_n$,

$$\frac{\log n}{\log p_n} + \frac{\log \log p_n}{\log p_n} - 1 \rightarrow 0.$$

But $\log x = o(x)$, so $\log \log p_n = o(\log p_n)$, so this says

$$\frac{\log n}{\log p_n} \rightarrow 1. \quad (ii)$$

Multiply (i) and (ii): $n \log n / \log p_n \rightarrow 1$, i.e. $p_n \sim n \log n$. //

Q4 ([L], 214-5). By PNT and Q2, $\pi(x) = x / \log x + O(x / \log^2 x)$. So taking $x = p_n$,

$$n = \frac{p_n}{\log p_n} + O\left(\frac{p_n}{\log^2 p_n}\right), \quad = \frac{p_n}{\log p_n} + O\left(\frac{n \log n}{\log^2 n}\right),$$

using Q3 and $p_n \geq n$. So

$$p_n = n(1 + O(1 / \log n)) \log p_n. \quad (iii)$$

By Q2,

$$\log p_n = \log n + \log \log n + o(1). \quad (iv)$$

Substituting (iv) in (iii) gives the result. //

NHB